
EVOline® V-Port



EVOline® V-Port

In kitchens, you often find unused space underneath a wall cabinet, especially in corners and next to tall cupboards. This is where the EVOline V-Port can be installed. In its closed position, the V-Port is concealed within a discreet and elegant housing lacquered in stainless steel effect. A gentle touch releases a multiple socket rail. As option with USB charger.



Description Picture Specification Order number

EVOline V-Port

Aluminium housing, black anodised, for right-angle installation. VDE-compliant sockets, 60°, 16 A, contact-protected.
Supply cable 2.5 m with plug-in connector. All configurations with VDE-compliant sockets with fixed EVOline Plug. Other versions with wire-end ferrules and country-specific plug, supplied unattached.



EVOline V-Port

With two sockets 1593 4500 0200

EVOline V-Port

With three sockets 1593 4500 0100

EVOline V-Port with USB-Charger

Aluminium housing, black anodised, for right-angle installation. VDE-compliant sockets, 60°, 16 A, contact-protected.
Supply cable 2.5 m with plug-in

Supply cable 2.5 m with plug-in connector. All configurations with VDE-compliant sockets with fixed EVOline Plug. Other versions with wire-end ferrules and country-specific plug, supplied unattached.

1x USB Type A Charger, charging function only - ideal for charging of USB-chargeable devices, i.e. Apple iPhones, iPads, iPods**, Tablets, Smart phones, MP3 Players.



EVOline V-Port

With two sockets and one USB Type A charger

1593 4500 0300

International versions available upon request.

The USB charging function cannot be guaranteed due to the multitude of manufacturers and devices on the market.

** ™ Apple Computer Inc.

Become a co-designer and select your country-specific EVOline V-Port.

Directly to
EVOline
Configurator.
www.evoline.com/
konfigurator

