


NOVUS LiftTEC Arm III, with wall mount



- 2-part monitor supporting arm with gas spring technology for comfortable, ergonomic adjustment of the monitor for mounting directly on the wall
- With straight front arm section for a very low screen positioning
- With wall bracket
- Easy mounting of the monitor by QuickRelease, suitable for VESA standard 75/100
- Mounting of flat screens of 3-8 kg depending on wall texture
- Range: 550 mm
- Perfect cable management by cable clips

Version	Art.No.	EAN Code
 Silver	931+3089+000	4009729045411



This standard mount allows monitors with VESA standard 75x75 or 100x100 to be easily attached. The value indicates the hole spacing in mm.



The wall mount makes it possible to mount the product on the wall



The value indicates the scope of the product in mm



The LiftTEC® arm with gas spring technology can be infinitely adjusted to any height with incredible ease.



The holder has the swivelling range shown in °.



This machine bears the GS approval of product safety.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.

NOVUS LiftTEC Arm III, with wall mount



The NOVUS LiftTEC® enables a very easy positioning in different heights. The gas spring technology makes an ergonomic positioning of the monitor even more comfortable.



The monitor is attached and released with effortless ease thanks to the new, simple Quick Release system with single-lever operation.



Monitor is easy to attach using QuickRelease with single-lever operation. Ball-joint for selecting the optimum viewing angle as well as for utilising the monitor pivoting function.



Perfect cable management by cable clips in and at the arm

NOVUS LiftTEC Arm III, with wall mount



Adjustable gas springs allow the LiftTEC® arm to be adjusted to the weight of the monitor.



The easy-action rotating joints can be adjusted to any position.