

# Base plate for floor lifts



#### 052.7210 Base plate for floor lifts 052.7200 and 052.7250

Product 052.7210, Base plate, is especially developed for users who wish to install floor lifts 052.7200 and 052.7250 freely in the room. The lifts are fitted with a screen bracket containing most VESA patterns, making it suitable for almost every display. The floor lift comes with a remote control to adjust the display 500 mm (052.7250) or 600 mm (052.7200) in height.





# Base plate for floor lifts

#### Features

**Weight:** 31.70 kg **Colour:** Black

Mobile / fixed: Fixed







#### Floor lift mini max. 86 inch



#### 052.7250 Floor lift mini for touch screen max. 86 inch, 135 kg

Products 052.7200 and 052.7250 are quick and easy to install floor lifts, allowing electrical height adjustment of your (touch) screens. The lifts are fitted with a screen bracket containing most VESA patterns, making it suitable for almost every display. Unit requires positioning close to a wall after which it can be fastened with its adjustable wall bracket. The floor lift comes with a remote control to adjust the display 500 mm (052.7250) or 600 mm (052.7200) in height. Behind the mounting feature, room is reserved for placing a mini PC. For the use of a thin-client PC a VESA75/100 mounting pattern is included. Product 052.7250 is our Floor lift mini; the product is 100 mm smaller then product 052.7200 and offers a 500 mm height adjustment. An optional lift support (052.7255) can be added to lengthen the unit and for placing a logo.



## Floor lift mini max. 86 inch

#### **Features**

**Minimum length:** 883.5 mm **Maximum length:** 1383.5 mm

Weight: 26.40 kg

Colour: Black, Aluminium Maximum load: 135 kg

Screen position: Landscape, Portrait

Inch range: max. 86 inch

Mobile / fixed: Fixed

Height adjustment: Electrical 500 mm, speed up to 20 mm/s

**Bracket/interface:** Included **Type bracket/interface:** VESA

Range bracket/interface: Max. 600 - 400

Cable duct: 30 mm Ø

